App F IX 4

Previous References

1942
ml

File No 125-41
Serial Nos 36, 37, 62, 63, 70271

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos Six

Part B for July 42

SUBJECT

Keeping Filtered-water Reservoirs in Mysore city

The ~~Dy~~ President, ml Cl Mysore
Sl 71 L 808 dt 22/7/42
States that it is not necessary for the present

The Dy H
L 809 dt 22/7/42
Forwards a copy

HJH
31/7

Rl 125-41-36

OFFICE OF THE
MINISTER FOR LAW.

Note

Dated 13th March 1942

Water supply at Bangalore and Mysore

It is desirable to keep our filtered water Reservoirs full always against an emergency

It may be ascertained if they are now usually full If economy in use of water is necessary to secure this, it is best to advise people to plug some unnecessary taps in their houses Later if this does not succeed, we shall have to plug compulsorily all taps in the open yards and even inside buildings except one in the kitchen, another in the bathing room and one or more in the automatic flush baths, according to the size of buildings and number of inmates

Chief Secy) (Intd) A V R 13-3-42

P & D Secy) (Intd) G 14-3-42
with Compliments)

(Intd G S 14-3-42

SECY LAW DEPT 1 COVT OF MYSORE

No P W 7203 Dated 16th March 1942

Copy of the above is forwarded, with compliments, to the Law Secretary for favour of taking needful action in respect of the Mysore City Water Supply

Secretary to Government,
Public Works Department

2045 19-3-42

A draft letter to the Govt of India communicating the above orders is submitted for approval

5522/K

Law Secy 18/3/42

EOY L DEPT 23 SEPT GOVT O MYSORE

Minister (H&PH) 18/3/42

CF CT T F I SCRDH Dt 18 3 42 A 2289

Hm 19/3/42

Hm 19 3 42

9 June 19 3 42

Hm 19 3 42 ✓

10 June Monday 19 3 42

Water Supply, Salt Bangh + 55/22 (3)
55 22 \ 6869 Nyasa L

General and Revenue Secretariat — File No 125 of 1941 — [App F III—2

Serial No 37

Secy 16 4 42

Mem Dept of P H
L 8736/20 3 42
Issues instructions re the —— against an emergency
Report called for has not been received
Submit with a draft reminder for approval
Ag 21/5
Ag 21/5

Nyasa
L 21/5 Jur

Addressed L 105-83 Dy 4/5/42
From The Dr of P Health
No C789-11 Dy 11-5-42
Forwards a copy of letter received from the Sanry Engineer, Bureau of Sanry Engineering stating that necessary instructions have been issued to the Supdt Vanivilas Water works Chystore, on the matter
Submitted for perusal Reference Para 6 6

13) Ag 13/5
Ag 13/5

Law Secy) L 13/5 Jur

14) For perusal
Minister (S S)

Hm 2 16/5/42

15) Secy 18 5 42

Minister for Law

16) Secy 19-5-42

Secy 20 5 42 19-5 Jur

MAY 19 1942 No 1197

SECY LAW DEPT 1285 19 MAY 1942

OFFICE OF THE MINISTER FOR L S G & P H Date 16 5 42 No 72433

NOTE— Contn Sheet

WD 04155—GPB—55 000—23 10 41

3)

6869 / 7566
L

MC File No 125 of 1941/42 General and Revenue Secretariat

Serial No

From the Odt, cof mel cl Dryspore
No GP 2922 /41-42 Dt 4-6-42
forwards the resolution of the mel cl on the matter

17) Two points have been dealt with in the letter - one re storage of water & another re the plugging up of unnecessary taps

18) As regards the storage of water, the Supdt, Vani Vilas Water Works, who was present at the council meeting held on 30-5-1942 suggested that the reservoir near the Cosmopolitan club might be repaired at a cost of Rs 8000/- for the purpose, & the mel cl have resolved that Govt be requested to bear the entire cost in this behalf A

19) Re the plugging up of taps the statistics called for by the council from the Supdt V V Water Works are awaited B

20) submit for orders

9/6

21) Re A, the question requires to be further examined in consultation with the Director of Public Health in regard to the number of wells proposed to be sunk in the city and the recent heavy rains there may not perhaps be any necessity to take up this work if approved, the Dir of P.H. will be

Serial No

Consulted in the matter

22) Re B. further reps will be awaited of economy in the use of water can be secured by plugging unnecessary taps in private houses, then it may not be necessary to take up the work reqd to above

23) Respectfully submitted with reference to paras 1 to 2 supra

Law Dept 11/6/42

24) It may be done urgently as reply awaited in 5 days by R3 6 42

Law 23/6/42

25) Submitted with a draft letter for appl

23/6

26) Submitted today

23/6/42

To The Dr of Health

No L 11890 Dt 24-6-42

Calls for his opinion on the matter

From The Dr of Health

No C789-17 Dt 25-6-42

States that he agrees with the Supdt. Vanivilas Water Works, Mysore in the matter of effecting repairs to the reservoir at a cost of Rs 8000/—

Bus A 26/6

NOTE—Contn Sheet

SECY LAW DEPT 5061 17 JUN 1942 GOVT OF MYSORE

WD 04155—GPB—55 000—23 10 41

Keeping the filtered water reservoirs in
Mysore city full after
an emergency

File No 75665 8064
125 of 1941/42

General and Revenue Secretariat

Serial No

1) Quoted with reference to Para 24 Supra

GS letter dt) The Director of Public Health
is of opinion that the underground
reservoirs at Mysore should be repaired
at a cost of Rs 5000/- as an A R P
measure This is for orders.
as the Mysore city Municipal Corporation
undertaken to sink two wells in each
of the
Mohalla
Further, Abstract
) For orders with reference to para
24 supra

Law Secy) 26/6/42

30) The proposal of the Supdt Water Supply -
which is supported by the Dir of H may be
sanctioned at a cost of Rs 5000/- as an A R P
measure The Municipal Corporation does not seem to
be willing to bear the cost of the proposal
Here sinking 72 wells as each Mohalla
may not be enough & it may take
some time before these wells are
completed

Finance Secy)
& Law Minister) may be done

DEWAN'S OFFICE
1 JUL 1942
NO 5

OFFICE OF THE MINISTER
FOR LSG & P H
Date 27 6 1942
No 8137

Finance Secy 27/6/42

Law Minister 28/6/42

Secy 30/6/42

Keeping the filtered water reservoirs in the Mysore city 3/7/42 (16)

General and Revenue Secretariat — File No 125/93 of 194\ — [App F III-2

5

Serial No

33 Thes storage reservoir may not be [illegible] such use unless water is pumped from the Kukkarahalli tank

May be seen

Seen
3/7/42

to perusal
Mines & Geology
Law Secretary

34 Log
3.7.42

35 [illegible]
10.7.42

36 [illegible]
14.7.42

37 [illegible]

38 Sorted with a draft letter for appl

39 Law Secy
15/7/42

40 [illegible]
21.7.42

41 [illegible]
21.7.42

To the Dist, Coll. Mysore
No L 808 Dt 22-7-42.
States that Govt consider that it

NOTE—Cont Sheet

C [illegible] T E
[illegible]
JUL 10 1942
No 366

[illegible]
1 JULY 1942

OFFICE OF THE INSTR
FOR LSG & PH—
Dt 4 7 1942
No 203

SECY LAW DEPT
[illegible]
COVT OF MYSORE

8064
2

File No 125	of 1941/42	General and Revenue Secretariat
	Serial No	

is not necessary to take up the said work for the present.
To The Dr of P. Health
No L809 Dy 22-7-42
forwards a copy of the above

Asst B
24/7 B
22/7/

Appendix F G—1]

SUBJECT

Section K

File No 125 41

Serial No 37

Diary No of letter replied to

No L 8736

To The Director of Public Health

General and Revenue Secretariat

( )

the *193*

Sir,

I am ~~directed~~ directed to state that Govt consider it desirable to keep the filtered water Reservoirs full always against an emergency. I am to enquire if the reservoirs at the Mysore city are now usually full. If economy in the use of water is necessary to secure this, it is best to advise the people to plug taps unnecessary

Date of issue 20/3/42

Signed by M S Rao

List of enclosures

Copied by

Examined by

WD 0521—GPB—30 000—12 3 37

taps in their houses Late, if
this does not succeed action will
have to be taken to plug compulsorily all taps
in the open yards and even inside the
buildings except one in the kitchen
another in the bathroom and one more
in the automatic flushbath, according
to the size of the building and number
of inmates
, steps may be taken according to
a report submitted to that end by the end of
March 42

Hm 18/3/42
Secretary
Legislative
Law Dept

Memorandum 18737 Dy 20/3/42
copy sent to the President
city which, myself for info

Hm
Secretary
Legislative
Law Dept

Appendix F G—1]

SUBJECT

Section ml

File No

Serial No

Diary No of letter replied to

No L 10583

To

The Dr of P Health

Sir,

I am directed to invite reference to this office letter No L8736/ml 125-41 37 Dy 20-3-42 calling for a report in connection with the measures adopted for economising the use of water in dry boxing and to request you to be so good as to forward the report called for without further delay

I have etc

for Secretary to Govt Law Deptt

General and Revenue Secretariat

( )

the *19*

Date of issue 4/5/42

Signed by M.G.R. Rao

List of enclosures

Copied by 4/5/42

Examined by

WD 086—GPB—40 000—30 7 40

6869/L 12

No C 789-11 Encl one cy

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE,

Bangalore, Dated, 8th May 1942

To

The Secretary to Government,
Law Department,
Bangalore

Sir,

Re Keeping the filtered water reservoir in Mysore City against an emergency
--

With reference to your letter No L 8736/M1 125-41-37 dated 20th March 1942 on the above subject, I have the honour to enclose herewith for the information of Government a copy of letter No 1589 dated 20th April 1942 of the Sanitary Engineer intimating that the raw water storage and pure water storage reservoirs in the City of Mysore are usually kept full except on extraordinary occasions such as feast days etc when the City will have to be supplied with more water than the pumped quantity, the storage levels being brought up by restricting the supply to the City on subsequent days The Sanitary Engineer further reports that he has instructed the Superintendent, Vanivilas Water works, Mysore, to keep in view in future, the points raised in your letter under advertance and to keep the reservoirs always full

I have the honour to be,
Sir,
Your most obedient servant,

O Ramaswamy

DIRECTOR OF PUBLIC HEALTH

JBR

Letter No 1589 dated 20th April 1942 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Director of Public Health in Mysore, Bangalore

Re Keeping the filtered water Reservoir full always against an emergency

—

With reference to your No C 748 dated March 24, 1942, forwarding copy of letter No L 8736/M1 125-41-37 dated 20th March 1942 from the Secretary to Government, Law Department, for report etc , I have the honour to state as follows -

The Superintendent, Vani Vilas Water Works, Mysore, reports that the raw water storage and pure water storage reservoirs in Mysore City are usually kept full except on extraordinary occasions such as feast days, etc when the City will have to be supplied with more water than the pumped quantity On such occasions the storage levels will be brought up by restricting the supply to the City on subsequent days

The Superintendent has further been instructed to keep in view in future the points raised by the Law Secretary in his letter and keep the reservoirs always full

-o-

"C o p y"

Director of Public Health

JBR

2566/L

OF E OF H P ES NT
C Y M Co L MY O E

ST No 2922/41 42 -
Encls two

Dated 4th June 1942

From B S RAGHAVENDRA RAO, ESQ , M A (Hons)
~~M NAVANEETHAM NAIDU Esq B A BL~~
PRESIDENT CITY MUNICIPAL COUNCIL
MYSORE

Ml 125-41—62

To
C NARAYANASWAMI NAIDU, ESQ , B A , B L ,
Secretary to Government,
Law Department, Bangalore

Subject Plugging up some unnecessary taps with a view to keep the filtered water reservoirs full always against an emergency

---

With reference to your memo No L 8737 dated 20th March 1942 forwarding a copy of letter No L 8736/Ml 125-41-37 dated 20th March 1942 addressed to the Director of Public Health re the above, I have the honor to state that the proposal contained therein was placed before the Managing Committee The Superintendent, Vani Vilas Water Works was also present when the Committee considered the proposal on 15th May 1942 They passed the resolution noted below

"Re storage of water, the Vani Vilas Water works Superintendent stated that the filtered water reservoir capacity is only 1 5 millions) He suggested that the reservoir near Cosmopolitan club might be repaired and used and that this would cost about Rs 8,000/- The Committee decided that this may be taken up

Re The plugging up of taps the committee was of opinion that this may await the statistics called for"

This resolution of the Committee was approved by the Municipal Council at their meeting held on 30th May 1942 with a request that the Government may be requested to bear the entire cost of renovating the reservoir near the cosmopolitan club The Superintendent, Vani Vilas Water Works has been reminded about furnishing the statistics called for early Extracts of the resolutions are herein enclosed

I request you kindly to obtain early orders of Government in the matter

P T O

I have the honour to be,
Sir,
Your most obedient servant,

Rajendra Prasad

PRESIDENT

Appendix F G—1]

SUBJECT

Immediate

Section

File No 125241

Serial No 63

Secretary No of letter replied to

No L 11 8-90

To The Dr of P Health

Sir

Subject – Re Keeping the filtered water reservoirs in Mysore city always full against an emergency –

General and Revenue Secretariat

( )

the *19*

Date of issue 24/6/42

Signed by

11 Nov

(P. W. D.)

List of enclosures

(To be kindly returned with the reply)

Copied by

Examined by

with reference to your letter No C789-11 Dt 11-5-42 on the above subject, I am directed to forward herewith a copy of letter No GT 2922/41-42 Dt 4-6-42 received from the Addl, City Mnl Cl, Mysore together with its enclosures in original in the matter and to request you to be so good as to favour

Encl: Letter

Your opinion in regard to the suggestion made by the Supdt, Vani Vilas Water Works, Mysore in the matter of ~~about~~ effecting repairs to the reservoir near the Cosmopolitan club in the city at a cost of Rs 8,000/-

The matter may be kindly treated as immediate and a reply sent within five days

I have etc

Sd/-

Norseyto Clark
Law Deptt

8064/L
17

GOVERNMENT OF MYSORE

Tlm ph 171

HEALTH

OFFICE OF

THE DIRECTOR OF PUBLIC HEALTH

IN MYSORE, BANGALORE

No C 789-17
Encls Three original Enclosures

Date June 25, 1942

To The Secretary to Government, Law Department, Bangalore

ML 125-41—70

SECY LAW DEPT
26 JUN 1942
GOVT OF MYSORE

Subject - Regarding keeping the filtered water reservoirs in Mysore City full always against an emergency

---

Sir

With reference to your letter No L 11830/ml 125-41-63 dated 24th June 1942, regarding keeping the filtered water reservoirs in Mysore City full always against emergencies, I have the honour to inform that I agree with the opinion of the Superintendent, Vani Vilas Water Works Mysore in the matter of effecting repairs to the reservoir at a cost of Rs 8,000/-

I have the honour to be,
Sir,
Your most obedient servant,

KAJ

Director of Public Health

MYSORE CITY MUNICIPALITY

Proceedings of the Ordinary General Meeting of the Mysore City Municipal Council held in the Municipal Office on Saturday the 30th May 1942, at 5 30 p m

PRESENT

B S Raghavendra Rao Esq M A (Hons) *President*

2 P Sita mah Esq B A B L *Vice President*
3 A Krishna Murty Esq
4 U L Ramach ndra Rao Esq
5 Chowdiah Esq
6 M K Linganna Esq B A LL B
7 T S Rajagopala Iye gar Esq M A LL B.
8 T Narasimha Iyengar Esq B A B L
9 A N Suryanarayana Rao Esq
10 Mrs B Kameswaramma B A
11 Agaram Rangiah Esq
12 B Narayanaswamy Esq B A B L.
13 T Mariappa Esq B A LL B
14 M V Venkataramiah Esq
15 M S Nanjappa Esq
16 G R Rangaswamiah Esq
17 E P Nanjappa Esq
18 G Jan rdan Naidu Esq
19 Patnam Sreenivas setty Esq
20 M R C Basappa Esq.
21 T Venkataramaniah Esq
22 T S Alikhan Esq
23 Haji Mir Amiruddin Khuraichi Esq
24 S A Kareem Esq
25 B L Maridandiah Esq
26 F C Devaraja Urs Esq

ABSENT

27 S Linganna Esq
28 M C Mallappa Esq
29 N Rajagopala Iyengar Esq B A B I
30 Dr A J Ram L M & S
31 Mahomed Khalilulla Esq M A LL B

====

915 Managing Committee's Resolution No 269 dated 15-5-1942, on Council Subject No 745 dated 12-5-1942 (noted below) opining that the reservoir near Cosmopolitan Club might be repaired and used as it would cost about Rs 8,000/- and that the plugging up of taps may await the statistics called for

(Council subject No 745 dated12-5-1942 memo No L 8737 dated 20-3-1942 from the Law Secretary to Government forwarding for information copy of his letter No L 8736 dated 20-3-1942 to the Director of Public Health suggesting the plugging up of house taps etc , in the city to keep the filtered water reservoirs full always against an emergency and letter No 2314 dated 28-3-42 from the Superintendent, Vani Vilas Water Works suggesting - measures on the proposals contained in the Law Secretary's letter

Resolution Approved with the request that the Government may berequested to bear the entire cost

(Sd) B S Raghavendra Rao,
President

Copy

B Raghavendra Rao

PRESIDENT

Proceedings of the Managing Committee Meeting of the Mysore City Municipal Council, held in the Municipal Office on 15th May 1942 at 4 P M

=====

269 Council Deferred subject No 745 referred to the Managing Committee

Memo No 8737 dated 20-3-1942 from the Law Secretary to Government forwarding for information copy of his letter No L 8736 dated 20-3-1942 to the Director of Public Health suggesting the plugging up of house taps, etc , in the City to keep the filtered water reservoirs full always against an emergency and letter No 2314 dated 28-3-1942 from the Superintendent, Vani Vilas Water Works, suggesting measures on the proposals contained in the Law Secretary's letter

Resolution – Re storage of water the Vani Vilas Superintendent stated that the filtered water reservoir capacity is only 1-5- millions while the daily consumption is ~~only~~ 4 5 millions He suggested that the reservoir near Cosmopolitan Club might be repaired and used and that this would cost about Rs 8000/- The Committee decided that this may be taken up

Re the plugging of taps the Committee was of opinion that this may await the statistics called for

(Sd) B S Raghavendra Rao
PRESIDENT

Copy

B S Raghavendra Rao
PRESIDENT

SNR

Letter No 2922/41-42 dated 4th June 1942 from the President, City Municipal Council, Mysore to the Secretary to Government, Law Department, Bangalore

---

Subject - Plugging up some unnecessary taps with a view to keep the filtered water resrvoirs full always against an emergency

---

With reference to your memo No L 8737 dated 20th March 1942 forwarding a copy of letter No L 8736/Ml 125-41-37 dated 20th March 194: addressed to the Director of Public Health re the above, I have the honour to state that the proposal contained therein was placed before the Managing Committee The Superintendent, Vani Vilas Water Works was also present, when the Committee considered the proposal on 15th May 1942 They passed the resolution noted below

" Re storage of water the Vani Vilas Water works Superintendent stated that the filtered water reservoir capacity is only 1 5 millions, while the Daily consumption is only 4 5 millions He suggested that the reservoir near Cosmopolitan Club might be repaired and used and that this would cost about Rs 8,000/- The Committee decided that this may be taken up Re plugging up of taps the committee was of opinion that this may may await the statistics called for "

This resolution of the Committee was approved by the Municipal Council at their meeting held on 30th May 1942 with a request that the Government may be requested to bear the entire cost of renovating the reservoir near the cosmopolitan club The Superintendent, Vani Vilas Water Works has been reminded about furnishing the statistics called for early Extracts of the resolutions are herein enclosed

I request you kindly to obtain early orders of Government in the matter

---

C O P Y

For Secretary to Government,
Law Department

mk

Appendix F G—1]

22

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *19*

Date of issue 22-7-42

Signed by Is G Rao

List of enclosures

Copied by

Examined by

Section ml

File No 125-41

Serial No 71

No L 808

To

The Dclt, Cdf ml cl, Mysore

Sir,

With reference to the Correspondence ending with your letter no GT 2922/41-42 dy 4-6-42 on the matter of repairing ~~the~~ reservoir near the Cosmopolitan club in the cdf at a cost of Rs 8,000/- for the storage of water etc, as an ARP measure I am directed to state that Govt, Consider, that it is not necessary to take up the ~~repairing~~

[illegible] work for the present
~~working~~ at present.

I have etc

for Secy to Govt
Law Deptt

11/8/17

Memo no R 809 Dy 22-7-42

Copy of the above is forwarded with compliments to the Dr of P Health with reference to the correspondence ending with his letter no C 789-17 Dy 25-6-42 for info.

By order

for Secy to Govt
Law Deptt

11/8/17

Mr 1-23